
1136IHSSF2231



DocumentID

NONCD0002850

Site Name

BUSICK ROAD TCE

DocumentType

Correspondence (C)

RptSegment

1

DocDate

5/26/2011

DocRevd

5/26/2011

Вох

SF2231

AccessLevel

PUBLIC

Division

WASTE MANAGEMENT

Section

SUPERFUND

Program

IHS (IHS)

DocCat

FACILITY



North Carolina Department of Environment and Natural Resources

Division of Waste Management
Dexter R. Matthews
Director

Dee Freeman Secretary

May 26, 2011

Governor

Kenneth & Alice Vernon 210 Busick Rd Reidsville, NC 27320

Beverly Eaves Perdue

RE:

Water Supply Well Sampling Results – Busick Rd (NONCD0002850) 210 Busick Rd – Well ID BR-2

Reidsville, NC 27320

Dear Mr. & Mrs. Vernon:

Please find attached the Sample Analytical Results for a water sample collected from your well located at the address referenced above, on May 11, 2011. The sample was submitted for laboratory analyses for Volatile Organic Compounds (VOCs). VOCs were detected in the water sample as shown on the attached sheets.

Because VOCs were detected in the water sample, a Health Risk Evaluation (HRE) of the water supply was performed by our toxicologist. The HRE, which is enclosed, compares the concentration of detected contaminants to acceptable concentrations and provides a recommendation for acceptable uses of the water.

In accordance with the residential property disclosure act, it is your responsibility to disclose this contamination as part of the property sale. You should also notify all current and future tenants of your property of the contamination detected in your well.

If you have any questions regarding the Health Risk Evaluation, please contact Hanna Assefa at (919) 508-8445 or me at (919) 508-8573.

Sincerely.

Vincent Antrilli, Jr.

Environmental Specialist

Inactive Hazardous Sites Branch

Superfund Section

Enclosure

CC: Rockingham County Health Department



MEMORANDUM

TO:

Vince Antrilli, Jr.

Environmental Specialist

Inactive Hazardous Sites Branch

Superfund Section

FROM:

Hanna Assefa, Industrial Hygienist

Inactive Hazardous Sites Branch

Superfund Section

RE:

Health Risk Evaluation

210 Busik Rd. (BR-2)

Reidsville, Rockingham County

A sample was collected from a well at the subject address on May 11, 2011. Trichloroethene was detected at a concentration that did not exceed applicable standards. The standards used to determine if the water is suitable for drinking and cooking are the federal drinking water standards (USEPA MCL), or where there is no MCL, the North Carolina Groundwater Quality Standard (15A NCAC 2L). If a health-based 15A NCAC 2L standard is not available a health-based concentration is calculated.

If contaminant concentrations exceed the applicable standards for using the water for drinking and cooking, the contaminant concentrations are further analyzed to determine if the water is suitable for other, such as showering, bathing, washing dishes, flushing toilets, and hand washing. Therefore, based on this evaluation the water from this well can be used for drinking, cooking and all other uses listed above. The table below compares the detected contaminant concentrations with the applicable standards:

| Sample ID | Contaminant Detected | Concentration ug/l | USEPA MCL ug/l | 15A NCAC 2L ug/l |
|-------------|-------------------------|--------------------|----------------------|---------------------------|
| ME12003-003 | Tricholoroethene | 3 | 5 | ** |

ug/l = Micrograms of contaminant per liter of water.

** Not Applicable

Volatile Organic Compounds by GC/MS (SIM with isotope dilution)

Client: NCDENR - DWM - DSCA

Description: BR-2

Date Sampled:05/11/2011 1145

Date Received: 05/12/2011

Laboratory ID: ME12003-003

Matrix: Aqueous

Run **Prep Method Analytical Method** 1 5030B 8260B (SIM iso.)

Dilution Analysis Date 05/16/2011 1947

Analyst DLB

Prep Date

Batch 59833

| Parameter | | CAS Number | Analytical Method | Result | Q | PQL | Units | Run |
|-----------------------|-----|---------------------------|--------------------|--------|---|---------------------------------------|-------|-----|
| 1,4-Dioxane | | 123-91-1 8260B (SIM Iso.) | | ND | | 3.0 | ug/L | 1 |
| Surrogate | Q % | | otance nits | | • | | | |
| 1,2-Dichloroethane-d4 | | 126 40 | -170 | | - | · · · · · · · · · · · · · · · · · · · | | |

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range P = The RPD between two GC columns exceeds 40%

ND = Not detected at or above the PQL Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

J = Estimated result < PQL and ≥ MDL

N = Recovery Is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: NCDENR - DWM - DSCA

Description: BR-2

Date Sampled:05/11/2011 1145

Date Received: 05/12/2011

Laboratory ID: ME12003-003

Matrix: Aqueous

| Run | Prep Method | Analytical Method | Dilution | Analysis Date | Analyst | Prep Date | Batch |
|-----|-------------|--------------------------|----------|----------------------|---------|-----------|-------|
| 1 | 5030B | 8260B | 1 | 05/21/2011 0332 | JJG | • | 60126 |

| Parameter | CAS Number | Analytical Method | Result | Q | PQL | Units | Run |
|--|----------------------|--------------------|------------|---|-------------|--------------|-----|
| Acetone | 67-64-1 | 8260B | ND | | 10 | · ug/L | 1 |
| Benzene | 71-43-2 | 8260B | ND | | 0.50 | ug/L | 1 |
| Bromodichloromethane | 75-27-4 | 8260B | ND | | 0.50 | ug/L | 1 |
| Bromoform | 75-25-2 | 8260B | ND | | 0.50 | ug/L | 1 |
| Bromomethane (Methyl bromide) | 74-83-9 | - 8260B | ND | | 0.50 | ug/L | 1 |
| 2-Butanone (MEK) | 78-93-3 | 8260B | ND | | 10 | ug/L | . 1 |
| Carbon disulfide | 75-15 - 0 | 8260B | ND | | 0.50 | ug/L | 1 |
| Carbon tetrachloride | 56-23-5 | 8260B | ND | | 0.50 | ug/L | 1 |
| Chlorobenzene | 108-90-7 | 8260B | ND | - | 0.50 | ug/L | 1 |
| Chloroethane | 75-00-3 | 8260B | ND. | | 0.50 | ug/L | 1 |
| Chloroform | 67-66-3 | 8260B | ND | • | 0.50 | ug/L | 1 |
| Chloromethane (Methyl chloride) | 74-87 - 3 | 8260B | ND | | 0.50 | ug/L | 1 |
| Cyclohexane | 110-82-7 | 8260B | ND | | 0.50 | ug/L | 1 |
| 1,2-Dibromo-3-chloropropane (DBCP) | 96-12-8 | 8260B | ND . | | 0.50 | ug/L ug/L | . 1 |
| Dibromochloromethane | 124-48-1 | 8260B | ND . | | 0.50 | ug/L ug/L | 1 |
| 1,2-Dibromoethane (EDB) | 106-93-4 | 8260B | ND | | 0.50 | ug/L | 1 |
| 1,2-Dichlorobenzene | 95-50-1 | 8260B | ND | | 0.50 | ug/L | 1 |
| 1,3-Dichlorobenzene | 541-73-1 | 8260B | ND | • | 0.50 | ug/L | 1 |
| 1,4-Dichlorobenzene | 106-46-7 | 8260B | ND | | 0.50 | ug/L | 1 |
| Dichlorodifluoromethane | 75-71-8 | 8260B | ND | | 0.50 | ug/L | 1 |
| 1,1-Dichloroethane | 75-34-3 | 8260B | ND | | 0.50 | ug/L | 1 |
| 1.2-Dichloroethane | 107-06-2 | 8260B | ND | | 0.50 | - | 1 |
| 1,1-Dichloroethene | 75-35-4 | 8260B | ND | | 0.50 | ug/L ug/L | 1 |
| cis-1,2-Dichloroethene | 156-59-2 | 8260B | ND | | 0.50 | · ug/L | 1 |
| trans-1,2-Dichloroethene | . 156-60-5 | 8260B | ND | | 0.50 | | 1 |
| 1,2-Dichloropropane | 78-87-5 | · 8260B | ND | | 0.50 | ug/L | 1 |
| cis-1,3-Dichloropropene | 10061-01-5 | 8260B | ND | | 0.50 | ug/L | 1 |
| trans-1,3-Dichloropropene | 10061-01-5 | 8260B | ND | | 0.50 | ug/L | 1 |
| · | 100-41-4 | 8260B | | | | ug/L | - |
| Ethylbenzene 2-Hexanone | 591-78-6 | 8260B | ND ND | | 0.50 | ug/L | 1 |
| | 98-82-8 | 8260B | . ND ND | | 0.50 | ug/L | 1 |
| Isopropylbenzene Methyl acetate | 98-82-8 79-20-9 | 8260B 8260B | ND D | | 0.50 1.0 | ug/L | 1 |
| • | 79-20-9 1634-04-4 | | | | | ug/L | 1 |
| Methyl tertiary butyl ether (MTBE) 4-Methyl-2-pentanone | 108-10-1 | 8260B | ND ND | | 0.50 | ug/L | 1 |
| | 108-87-2 | | | | 10 | ug/L | 1 |
| Methylcyclohexane | | 8260B | ND | | 5.0 | ug/L | 1 |
| Methylene chloride | 75-09-2 | 8260B | ND | | 0.50 | ug/L | 1 |
| Styrene . | 100-42-5 | 8260B | ND | | 0.50 | ug/L | 1 |
| 1,1,2,2-Tetrachloroethane | 79-34-5 127-18-4 | 8260B | ND | | 0.50 | ug/L | 1 |
| Tetrachloroethene | | 8260B | ND | | 0.50 | ug/L. | 1 |
| Toluene | 108-88-3 | 8260B | ND | | 0.50 | ug/L | 1 |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | 76-13-1 | 8260B | ND | | 0.50 . | ug/L | 1 |
| 1,2,4-Trichlorobenzene | 120-82-1 | 8260B | ND | | 0.50 | ug/L | . 1 |
| 1,1,1-Trichloroethane | 71-55-6 | 8260B | ND | | 0.50 | ug/L | 1 |
| 1,1,2-Trichloroethane | 79-00-5 | .8260B | ND | | 0.50 | ug/L | • |

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the PQL

J = Estimated result < PQL and ≥ MQL

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: NCDENR - DWM - DSCA

Description: BR-2

Date Sampled:05/11/2011 1145

Date Received: 05/12/2011

Laboratory ID: ME12003-003

Matrix: Aqueous

| Run Prep Method 1 5030B | Analytical Method 8260B | | alysis Da 1/2011 0 | | Prep Da | ite | Batch 60126 | | |
|----------------------------|----------------------------|----------|-----------------------|----------------------|---------|-----|-----------------|-------|-----|
| Parameter | | O Num | CAS ber | Analytical Method | Result | Q | PQL | Units | Run |
| Trichloroethene | | 79-0 | 1-6 | 8260B | 3.0 | | 0.50 | ug/L | 1 |
| Trichlorofluoromethane | | 75-6 | 9-4 | 8260B | ND | | 0.50 | ug/L | 1 |
| Vinyl chloride | • | 75-0 | 1-4 | 8260B | ND | | , 0.50 | ug/L | 1. |
| Xylenes (total) | | 1330-2 | 0-7 | 8260B | ND | | 0.50 | ug/L | 1 |
| Surrogate | Q | Run 1 A | Acceptar Limits | | | | | | |
| 1,2-Dichloroethane-d4 | | . 96 | 70-13 | 0 | | | · — — — · · · · | | |
| Bromofluorobenzene | | . 97 | 70-13 | 0 | | | | | |
| Toluene-d8 | | 98 | 70-13 | 0 | | | | • | |

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the PQL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

H = Out of holding time